

MANUAL SEALLESS STRAPPING TOOL FOR STEEL STRAP — FLAT PACKAGE

TECHINCAL DATA / APPLICATIONS :

Steel strapping tool easy use and adjusting system. Reliable to use in medium / heavy industrial duty applications. Available standard on 16mm (5/8") is also complete with 13mm (1/2") and 19mm(3/4") strap guides included into the box.

For heavy duty applications is also standard the **IMA G** version equipped by steel made tension lever and rear feedwhell protection

Package type	Flat (minimum 150mm—6") Minimum diam. For round pack 1000mm (40")
Joint type	Sealless
Strap quality	Bright—blue—high tensile Rmax.=1100 N/mm2
Strap Width	from 13mm(1/2") up to 19mm (3/4")
Strap thickness Rmax=850 N/mm2	From 0,45mm up to 0,7mm (0.018"—0.028")
Strap thickness Rmax=1100 N/mm2	From 0,45mm up to 0,63mm (0.018"- 0.025")
Max. tension / Gear ratio	Around 500 Kg on strap / around 1: 17
Weight	Around 4 Kg / Around 4,5 Kg for IMA G
Order code IMA	116.160.040
Order code IMA G	117.160.040

- * ERGONOMIC AND MODERN DESIGN
- * LIGHT AND COMPACT
- * EFFICIENT SEAL
- * LOW FORCE TO OPERATE
- * EASY TO USE



STEEL TENSION LEVER FOR IMA G VERSION

* MAIN STEEL PARTS ANTIRUST COATED

COLUMBIA S.r.l. Packing Systems & Materials -Via Della Repubblica, 44 - SOLARO (MI) - ITALY

TEL. +39.02.96790381 - FAX +39.02.96790397 - columbiatools@columbiatools.net—www.columbiatools.it

- EASY AND FAST ADJUSTMENTS

- EASY ACCES TO CLEAN AND TO PERFORM MAINTENANCE




SIDE VIEW



TURN THIS SCREW TO INCREASE OR DECREASE CUTTING AND SEALING VALUES

ADJUSTING CUT AND SEALING SCREW DETAIL



REPLACE THIS PART TO CHANGE THE STRAP SIZE EVERY STRAP GUIDE IS MARKED FOR SIZE

SIDE GUIDE STRAP DETAIL




FEEDWHEEL GAP ADJUSTING SCREW- DETAIL




ADD OR LEAVE THE SPACERS TO CHANGE THE STRAP SIZE

FRONT STRAP GUIDE ADJUSTMENT- DETAIL



REAR GUIDE STRAP ADJUSTMENT- DETAIL



IMA G-DETAIL
REAR FEEDWHEEL
PROTECTION

TYPICAL APPLICATIONS



SEALLESS JOINT



- * MECHANICAL INDUSTRY
- * CARPENTRY
- * PAPER AND CARTON IND.
- * WOOD
- * BRICKS
- * CLOTH BUNDLES



**SPECIAL TENSION LEVER FOR
ERGONOMIC VERTICAL USE
ALLUMINIUM MADE - OPTIONAL—**

OPTIONALS

- **STEEL TENSION LEVER (COD.402006360) + REAR FEEDWHEEL PROTECTION (COD.402006290) ALSO FOR IMA VERSION**
- **SPECIAL TENSION LEVER ALLUMINIUM MADE FOR VERTICAL USE (COD 401004890)**

ALL SPECIFICATIONS ARE CORRECT AT TIME OF PRINT, ARE FOR GUIDANCE PURPOSE ONLY AND SUBJECT TO CHANGE WITHOUT PRIOR NOTICE -09/04

COLUMBIA S.r.l. Packing Systems & Materials -Via Della Repubblica, 44 - SOLARO (MI) - ITALY
TEL. +39.02.96790381 - FAX +39.02.96790397 - columbiatools@columbiatools.net—www.columbiatools.it